# Pros and Cons Of SM PTE 2110



# CONFIGURATION COMPLEXITY

SDI

2110

Configuration:



			1927		- 4				20	- L				1/5		1 20	- 9	- 1	- 2	1 - 21	10	1 172	
				THE REAL PROPERTY.			-10	T S				-	1		1	_	_		100	-		1	
	1000						Regi	(8)			WANT	Taxas .	-	Take.	1	1-44	1	Tank.	1		-	launa.	
		1		MANCHE IN THE			State Williams	- 0-0		MCASI					ALC: U				WILLS.			Maria and	
				R-MILAN SPINE O	I ICER! M	FG/MODEL	(MESN-105A)																
	1313	6.167	7111	SCGATFURY.	0000	-	1		1.1	FL 13835	0 239/538	29112	2361539	2391534	29153	SHILK	2261537	23815.30	28 000	291542	2391543	239,155.66	
						6	3			239.16	0 229.16.35	239 5 6 32	238 15 33	219 (6.34	2391635	236 16 36	239.16.37	2391636	239 15.45	2391642	23916.40	239.16.46	
						7	3			239.12.		239 1 1 30	229.17.33	229.17.34	2391135	230 17.36	20517.07	2091108	228 1.7 41	2081742	2391,140	235 17.46	
	8115	W.104				-	- 3			13818. NJ 23810		2391932	238 18 33	Z391834 Z391839	23918.3E	239 US.36 239 US.36	281837	2391.636	236184E 2361849	2391642	2391 643	239 10144	
	H16.P						1			D818		2301 W. III	200.110.00	770 1 M N	229 T W 30	C28 1 M 30	23519630	279 1 N 30	233 136 61	£381,W42	533,843	CONTRACTOR	
						. 5	3	_		13815		2393 5-22	238 1 16-33	22911536	23915.36	229 t W. 36	2281/630	2391%36	238 135.41	231542	20015-0	238.155.64	
						- 16	3			239.1%		239 1 9-32	239,196,30	278   N.34	2391 6-35	238 1 8.36	27819630	2391 6:36	228 13641	2381842	2016-0	239.136.44	3078-3095-06
	H1L9	10 1 0 10				41	3				20 228 22 21	239 125 N	238 373 30	2291,2134	239 121.00	238 122.36 238 122.36	2012131	239121.00	CB 12241	239 (214)	D912149	C38 LC1.00	
						- 1	3			138 122		230 122 12	239 122 30	239 23 34	239 122.75	238 U2.36		235122.36	238 12241	23912140	1391/E40	239 122 44	
						49	- 1				29 (12) (5)		(10.124.10	239 24 24				£291.66.10	CB 12641	E19 (25.6)		C19 1/2 84	
	101019	16 1 2 H				29	- 5			5+ J39 125			238 123 33	23512536		238 125 36	235 (25.31	23512536	23812541	22912140	13912543	433.123+4	
						30	. 3			239 130		230 5 35,10	239.130.33	239 (36.34				239 130 36	238 130 41	209 (30.4)	43913949	239 730 44	
							3				10 215 13134	239 1 31 52	E39.135.30	2181.30 N	239 121.00	£28 131.30	£85.19.3F	£39 1.71.30	239 13141	EB184	4391,2143	239.131.44	
-	101017		_	SCIATIVE:	Bett	20		_		250.130		239 5 70 70	239 25 38	239 LNCM	239 1.12.25	238 132 36	238 ( 5.57	23913230	239.2541	2751,542	2091,1243	239,132,64	
				Account to the last of the las	men.		- 1		100	139.64		25 A 2 CC2	210.26.32	2391.634	220.2 4.20	E362636	1001031	13014.00	CH2541	2002.042	(297,14)	439.44	
						7	- 3			339.2 T		1392 130	139.27.33	2381T34	2302130	238 Z Y 56	2352 737	2352.138	039-27-41	2392742	1392 1 49	239.ET++	
						.0	3			109.24		239 5 4 30	239.29.30	239.2 6.34	2302.4.35	236.2 6.36	210-1-637	239 Z A 36	239.23.41	209-1-8-42	2010 ( 4.4)	239.04.44	
	481029	95.8.22				- 10	. 5			2-0 139.00		27.6.7975	05.0F.1813	210.1 ti.04	2302.0.25	256.219.36		91.0.7467	E39.2 10:41	239.2 (0.40)		239,210-04	
						-	- 0			239.2 %	20 2031 N.St 20 2031 N.St	230 Z N 12	239.2 W-30	2001.90.34		138 T #130		2352 W 30	235.2 16-61	2001.040		230.276.44	
										239.2 %		1392 6.10	10014030	200.1 % 34	2392 6.65	1347.630		1305.430	239.236.43	205.1 %-47		239.2 % 44	
	10.10.25	10.14.26				25	3			2-1 298.22			229.7.2529			236.22136	279.2.21.35	2362,2336		2383,2147		239.22744	2377-1000-08
						20	3				26 209122.9				2092.0236					23912140	2002.72.40		
						-28	- 3			339.52					2392.29.90						2092,3343		
	-	10.1 8.30				- 28	1.0			199.2.2	20 239.129.7				2392.2436					2912142		239.224.44	
	0.1020	10.1.0.30				20					20 209 1 30 3				2392 10 W					239.1 39.40			
											20 239 1 9 7		239.235.20			234.2.2436					209-2 29-49		
						20	3			259.23			239.2.32.20	229.7 00 34				239.2 30.39	239.232.41	209.2.31.40		209.2 32.44	
17.1	0.1031	10.1.0.34	10100	3004Hnm	89-81				1 3	3-1 209.15		229-3-5-32	258.34.32	-219.1.534	2393.636	(35.35.34	5367631	2963.530	234.5%.41	2083542	2393 6.49	259.345.44	
						4	3			239.54		2293430	239.36.22	219.1,6.54	239 3.4.36	299.56.36	279.5 6.37	279.3 8.38	236.94.41	278 1 8.42	2993141	239,16,46	
						7				239.37		2363 133 2363 432	218 3 7 33	209 1 7 34 209 1 6 34	2393736	2363736 2361636	278 5 7 37	239 5 1 58 236 5 6 38	238.3.7.41	209 1 7 42 209 1 8 42	2993.7.43	299.57.44	
	101037	10.14.30				- 10	- 1			5-2 239.315		1393 932	238 3 73 39	219 3 TI 34	239 3 13.76	236.5 10.36	278 3 % 35	239.3.19.36	236 3 10-41	208 5 10-42	2993 7543	259.31544	
		1				76	1			259.5 %	20 25515-31		279 374 33	279 1 % 76	239 3 W 7E			259.5 % 38	235.336.43	20519-41		339.5 M 44	
						18	. 1			739.3 8		7783 % 10	239 3 95 33	379 1 16 34	2163 535	781636	236 5 6 31	2393 636	235 3 75 41	2915.42		239 3 15 44	
						-				139.34		2393.4.12	239,316.33	209.1 % 34	2393.6.35	23116.36	216.2 % 37	2395 9.36	235.3 %-61	2959.42	2353 9.45	239.3 % 44	pre-mo-re
	301041	1011.67				31	- 3			3-1 298 5.2		299321122	239.32133	228 1 21 54 228 1 21 54	239 3 21 36	238 32136 758 32036		239.3.2138	238.32545			239.52564	
						20				299.32		239 3 22 32	238 3 22 30	219 3 25 W				299 5 22 58 299 5 25 38	299.322.41			29832246	
						16				299.32						236.524.36							
***	955.045	10 1 5 dG				29	1				205 235 3 25 3												

# CONFIGURATION COMPLEXITY

#### SDI

Almost nothing is configurable

One Video essence

16 Channels of Audio

VANC / HANC

#### 2110

Everything needs to be configured.

Media Network switch ports

Unicast Address

Multicast addresses

Video

Audio

Metadata



# TESTING and TROUBLESHOOTING


# SDI







#### 2110





# TESTING and TROUBLESHOOTING

SDI

2110

Very Physical

Very abstract

Simple patching easily taught

Command line tools need more training and NOT for every user.

More difficult to perform remotely without advanced systems in place.

As long as physical connections are correct, remote troubleshooting is very common

# **DENSITY**

SDI 288 signals



21102688 signals



#### DENSITY

#### SDI

One signal per cable (uncompressed)

Lower density of failure points, but often requires more equipment

#### 2110

100G fiber connection could have 32 signals on a duplex or MPO connection

Higher density of failure points reduces cable tray requirements, but increases the importance of redundancy

# DOCUMENTED SPECIFICATIONS

#### SDI

- . (HD) 1080| 50, 59.94, 60
- · (HD) 1080p 23.98, 24, 25, 29.97, 30
- · (HD) 720p 50, 59.94, 60
- · (SD) 625i, 525i
- SMPTE-259/274/292/296 SD/HD-SDI. 1 x BNC
- · HDMI with embedded audio, 24-bit (selectable by internal jumper: 2 or 8-Channels)
- · Audio, 2-Channel RCA style outputs at -10dBu (nominal), Channel 1 and 2
- •1 Looping SD/HD-SDI output of the SDI input (75 ohm. unterminated)
- · Standard Type A connector
- 8-bit RGB 4:4:4 or 10-bit YCbCr 4:2:2 (selectable by internal jumper)
- · 24-bit, with 2 or 8 embedded channels (selectable by internal jumper)
- . The HiS does not encode the HDMI output with HDCP encryption. By definition, SD/HD-SDI inputs to the HiS are unencrypted. The HDMI specification requires HDMI monitors to support unencrypted inputs.
- · 4.6" x 2.4" x 1" (117mm x 61mm x 25mm)

2110



**CONTACT US** 



# 2110 UNIQUE CHALLENGES

AUDIO - multiple standards - channel choices

NOT All formats are always supported 720P - 1080P

 Installation can be much quicker, but much more time is required for testing

# 2110 UNIQUE CHALLENGES

2022-7 Sometimes not all signals are redundant

 Ourrently not all devices implement the same control protocols (ember +, API, IS-04/05)

 Installation can be much quicker, but much more time is required for testing

# 2110 UNIQUE ADVANTAGES

REMOTE Configuration is easy

 Complex workflows can be achieved since EVERYTHING can be on the same router
 Video, Audio, Intercom, Eventually Tally

Installation can be much quicker, but much more timeis required for testing

# 2110 UNIQUE ADVANTAGES

Eventually Hardware will be more IP specific / more VM based

 Complex workflows can be achieved since EVERYTHING can be on the same router

Eventually licensing and products could move to OpEXvs CapEX

# 2110 UNIQUE ADVANTAGES

Eventually licensing and products could move to OpEX vs CapEX

 Installation can be much quicker, yet much more time is required for testing